

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT HURRISAFE TEC 30 DESMUTING CLEANER

FILE NO.: Tec 30  
MSDS DATE: 11/11/08

---

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

**PRODUCT NAME:** HURRISAFE DESMUTING CLEANER

**SYNONYMS:**

**PRODUCT CODES:** TEC-30

**MANUFACTURER:** PCI OF AMERICA

**DIVISION:**

**ADDRESS:** 2701 TOWER OAKS BLVD, SUITE 300  
ROCKVILLE MARYLAND 20852

**EMERGENCY PHONE:** 1-800 222-1455

**OTHER CALLS:** 301 468-1700

**FAX PHONE:** 301 468-1744

**CHEMICAL NAME:** Phosphoric Acid Blend

**CHEMICAL FAMILY:** Acidic

**PRODUCT USE:** To Clean and brighten aluminum surfaces

**SECTION 1 NOTE:**

---

## SECTION 2: HAZARDOUS COMPONENTS

---

### INGREDIENT:

<u>Name</u>	<u>CAS NO.</u>	<u>OSHA PEL</u>	<u>TLV</u>	<u>% WT</u>	<u>SARA Title III RQ LBS</u>
Phosphoric Acid (a)	7664-38-2	1 MG/M3	1 MG/M3	8-20	5000

---

## SECTION 3: HAZARDS IDENTIFICATION

---

**EMERGENCY OVERVIEW:** Corrosive Liquid. Causes Chemical Burns to Skin and eyes. Hazardous Symbols for this product: C Risk Phrases- R22, 34

### **POTENTIAL HEALTH EFFECTS**

**EYES:** Corrosive; Causes immediate severe irritation of the eye and eyelids. If not quickly removed by thorough irrigation with water, there may be prolonged or permanent visual impairment or total loss of sight.

**SKIN:** Corrosive and irritating; chemical burns may result from contact.

**INGESTION:** Corrosive. Material is extremely destructive to all tissues. May be harmful or fatal if swallowed.

**INHALATION:** Corrosive and irritating to upper respiratory tract. May be harmful if inhaled.

**ACUTE HEALTH HAZARDS:** None

**CHRONIC HEALTH HAZARDS:** None

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** None

---

### **CARCINOGENICITY**

**OSHA:** No      **ACGIH:** No      **NTP:** No      **IARC:** No

**OTHER:**

**SECTION 3 NOTES:**

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT HURRISAFE TEC 30 DESMUTING CLEANER

FILE NO.: Tec 30  
MSDS DATE: 11/11/08

## SECTION 4: FIRST AID MEASURES

---

**EYES:** Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

**SKIN:** Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

**INGESTION:** Give Person two glasses of water if conscious and alert followed by milk, milk of magnesia or other non-alcoholic liquids; DO NOT induce vomiting; seek medical attention immediately.

**INHALATION:** Remove affected person to fresh air; if breathing has not returned to normal within a few minutes after exposure, get medical attention.

### SECTION 4 NOTES:

---

## SECTION 5: FIRE-FIGHTING MEASURES

---

**FLAMMABLE LIMITS IN AIR, UPPER:** None  
(% BY VOLUME)      **LOWER:** None

**FLASH POINT:** None

F: n/a

C: n/a

**METHOD USED:** TCC

**AUTOIGNITION TEMPERATURE:** N/A

F: n/a

C: n/a

**NFPA HAZARD CLASSIFICATION**

**HEALTH:** 0      **FLAMMABILITY:** 0      **REACTIVITY:** 0  
**OTHER:**

**HMIS HAZARD CLASSIFICATION**

**HEALTH:** 02      **FLAMMABILITY:** 0      **REACTIVITY:** 0  
**PROTECTION:** A

**EXTINGUISHING MEDIA:** Water or fire extinguisher, dry chemicals, chemical foam, or water fog.

**SPECIAL FIRE FIGHTING PROCEDURES:** No special fire fighting procedures required but caution-material is corrosive if material is released.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contact with B:C extinguisher powder may product large amounts of carbon dioxide

**HAZARDOUS DECOMPOSITION PRODUCTS:** Smoke, fumes or vapors, oxides of carbon, phosphorous

### SECTION 5 NOTES:

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**ACCIDENTAL RELEASE MEASURES:** Small spills: flush with water, large spills: Use absorbent on spill sweep to clean. Dispose in accordance with local, state and federal laws. For spills in excess of allowable quantities (RQ) notify the National Response Center (800) 424 - 8802; refer to CERCLA 40 CFR 302 for detailed instructions concerning reporting requirements.

### SECTION 6 NOTES:

---

## SECTION 7: HANDLING AND STORAGE

---

**HANDLING AND STORAGE:** Do not use or store near heat or open flame. Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures. Separate from oxidizing materials, metallic powders and other easily oxidized organic materials and reducing agents. CAUTION - material is corrosive. Keep this and other chemicals out of reach of children.

### SECTION 7 NOTES:

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT HURRISAFE TEC 30 DESMUTING CLEANER

FILE NO.: Tec 30  
MSDS DATE: 11/11/08

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**ENGINEERING CONTROLS:** The use of local exhaust is recommended. Use corrosion-resistant ventilation equipment.

**PROTECTIVE GLOVES:** Neoprene, butyl or nitrile rubber gloves with cuffs.

**RESPIRATORY PROTECTION:** None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

**EYE PROTECTION:** Safety Glasses

**SKIN PROTECTION:** Plastic or rubber Apron or other coveralls should be worn to prevent skin contact.  
**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:**

**WORK HYGIENIC PRACTICES:** Wash hands after use. Wear plastic apron if excessive splashing is expected. If clothing becomes soaked, remove shower and wash clothing.

### SECTION 8 NOTES:

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

**APPEARANCE:** liquid

**SPECIFIC GRAVITY (H<sub>2</sub>O = 1):** 1.25

**ODOR:** No odor

**EVAPORATION RATE:** >1

**PHYSICAL STATE:** liquid

**pH AS SUPPLIED:** 1.5

**SOLUBILITY IN WATER:** 100%

**pH (Other):** diluted 1:3 with water 4.5

**PERCENT SOLIDS BY WEIGHT:** not tested

**BOILING POINT:**

F: 212

C: 178

**PERCENT VOLATILE:** N/a

**FREEZING POINT:** 48 or more hours below

F: < 32

C: < 0

F: 77

C: 25

**VAPOR PRESSURE (mmHg):**

@ 1.0 mm Hg@20°C

**VOLATILE ORGANIC COMPOUNDS (VOC):**

SCAQMD Method 313-91; 0

**VAPOR DENSITY (AIR = 1):** >1

---

### SECTION 9 NOTES:

---

## SECTION 10: STABILITY AND REACTIVITY

---

STABLE

UNSTABLE

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT HURRISAFE TEC 30 DESMUTING CLEANER

FILE NO.: Tec 30  
MSDS DATE: 11/11/08

STABILITY: YES

CONDITIONS TO AVOID (STABILITY): Extreme Temperatures

INCOMPATIBILITY (MATERIAL TO AVOID): Strong oxidizers, strong acids, strong alkalies.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None will occur if handled and stored properly.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (POLYMERIZATION): None

SECTION 10 NOTES:

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

### TOXICOLOGICAL INFORMATION:

Hazardous Ingredient: Phosphoric Acid (a)

Cas # : 7664-38-2

EINECS# 231-633-2

LD50 of Ingredient ( Specify Species and Route) 1530 mg.kg Oral-rat

LC50 of Ingredient ( Specify Species and Route) >850 ng/m3 Inhalation-rat

SECTION 11 NOTES:

---

## SECTION 12: ECOLOGICAL INFORMATION

---

### ECOLOGICAL INFORMATION:

No data is available on the adverse effect of this material on the environment.

SECTION 12 NOTES:

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

**WASTE DISPOSAL METHOD:** Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260 - 299 for complete waste disposal regulations for corrosive materials. Consult your local, state, or federal agency before disposing of any chemicals.

SECTION 13 NOTES:

---

## SECTION 14: TRANSPORT INFORMATION

---

PROPER SHIPPING NAME: Phosphoric acid solution  
DOT HAZARD CLASS / Pack Group: 8 / III IATA HAZARD CLASS / Pack Group: 8 / III  
REFERENCE: 49 CFR 173.154, .203, .241 IMDG HAZARD CLASS: 8 / III

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT HURRISAFE TEC 30 DESMUTING CLEANER  
UN / NA IDENTIFICATION NUMBER: UN 1805  
LABEL: CORROSIVE  
HAZARD SYMBOLS: C

FILE NO.: Tec 30  
MSDS DATE: 11/11/08  
RID/ADR Dangerous Goods Code: 8  
UN TDG Class / Pack Group: 8 / III  
Hazard Identification Number (HIN): 80

PROPER SHIPPING NAME: Consumer Commodity (Less than 5 liters ONLY)  
DOT HAZARD CLASS / Pack Group: ORM - D / None  
REFERENCE: 49 CFR 173.144-.156  
UN / NA IDENTIFICATION NUMBER: None  
LABEL: None Required  
HAZARD SYMBOLS: None

## SECTION 14 NOTES:

Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

---

## SECTION 15: REGULATORY INFORMATION

---

### U.S. FEDERAL REGULATIONS

**TSCA (TOXIC SUBSTANCE CONTROL ACT):** All Chemicals are listed

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** none

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):**

**311/312 HAZARD CATEGORIES:** Immediate health

**313 REPORTABLE INGREDIENTS:** none

### STATE REGULATIONS:

#### **CERCLA (Comprehensive Response Compensation and Liability Act)**

a) The Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) has notification requirements for releases or spills to the environment of the Reportable Quantity (RQ for this mixture = 10,000 lbs) or greater amounts, according to 40 CFR 302.

#### **California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

There are no reportable chemicals present known to the state of California to cause cancer or reproductive toxicity.

### INTERNATIONAL REGULATIONS:

#### **CPR (Canadian Controlled Products Regulations)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: E

#### **IDL (Canadian Ingredient Disclosure List)**

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

#### **DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)**

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

#### **EINECS (European Inventory of Existing Commercial Chemical Substances)**

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

#### **EC Risk Phrases**

R22 Harmful if swallowed.

# MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT HURRISAFE TEC 30 DESMUTING CLEANER  
R34 Causes burns.

FILE NO.: Tec 30  
MSDS DATE:11/11/08

## EC Safety Phrases

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye protection.

S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible).

## SECTION 15 NOTES:

---

## SECTION 16: OTHER INFORMATION

---

### HMIS HAZARD RATINGS

HEALTH	2	* = Chronic Health Hazard	2 = Moderate
FLAMMABILITY	0	0 = INSIGNIFICANT	3= High
PHYSICAL HAZARD	0	1 = SLIGHT	4=Extreme
PERSONAL PROTECTIVE EQUIPMENT	C		

---

PREPARATION INFORMATION: MSDS Prepared by: PCI of America Inc.  
2701 Tower Oaks Blvd, Suite 300  
Rockville Maryland 20852  
( 800) 222-1455  
www.hurrisafe.com

: **DISCLAIMER:** The information of this MSDS is based on the present state of our knowledge and on current US, EU and national laws. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this MSDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.